AUTHOR INDEX

Volume 86 • 2001

Abe, K.
Amygdala modulates hippocampal LTP 18
Akamatsu, Y. *See* Kaise, T.
Akiyama, K. *See* Sutoo, D.
Amano, H. *See* Matsubayashi, H.
Amano, T. *See* Matsubayashi, H.
Aoki Sogawa, C., Sogawa, N., Yamamoto, Toshio, Oda, N., Inoue, T., Onodera, K. and Furuta, H.
Expression of MT in rat dental pulp 65
Aragane, K. *See* Fujinami, K.
Ariumi, H. *See* Saeki, M.
Asahi, Y. and Yonehara, N.
GABAergic systems on desipramine action 316
Atsuchi, M. *See* Shimizu, K.
Aye, N.N. *See* Miyamoto, S.
Azuma, Y., Date, K., Ohno, Katsutoshi, Matsushiro, S., Nobuhara, Y. and Yamada, Toshihiro
Anti-atherosclerotic effect of NTE-122 120

Bağirici, F. *See* Marangoz, C.
Boku, K. *See* Hayashi, H.

Casamenti, F. *See* Prosperi, C.
Cheng, G., Ueda, T., Eda, F., Kinjyo, S., Nakajima, H., Ishii, Y. and Fukuda, T.
Tranilast regulates eosinophil function 130
Chiba, S. and Tsuboi, M.
Pentobarbital on heart functions 248
Cyong, J.-C. *See* Song, Q.-H.

Date, K. *See* Azuma, Y.
Doi, T. *See* Kamo, I.
Doi, Yoshiyuki *See* Kaibara, M.
Doi, Yukiko *See* Yoshimatsu, A.
Drian, M.-J. *See* König, N.
Durand, M. *See* König, N.

Eda, F. *See* Cheng, G.
Estabel, J. *See* König, N.
Exbrayat, J.-M. *See* König, N.

Fujimori, A. *See* Tokioka-Akagi, T.
Fujimori, T. *See* Sakaguchi, Minoru
Fujinami, K., Kojima, K., Aragane, K. and Kusunoki, J.
Dislipidemia in type II diabetic rats 127
Fujita, A. *See* Takeuchi, T.
Fujita, T., Fukuyama, R., Izumo, N., Hirai, T., Meguro, T., Nakamuta, H. and Koida, M.
PTH is osteogenic by activating Cbfa1 405
Fujita, T., Izumo, N., Fukuyama, R., Meguro, T., Yasutomi, C., Nakamuta, H. and Koida, M.
Mechanism of bisphosphonate action 86
Fukuda, T. *See* Cheng, G.
Fukuda, Y., Fukuta, Y., Higashino, R., Yoshida, K., Ogishima, M., Takei, M. and Kurimoto, T.
Hormonal effects of Z-350 in the rat 323
Fukui, M., Nakagawa, T., Minami, M. and Satoh, M.
ATP produces antinociception in the brain 423
Fukumoto, T. *See* Yoshimatsu, A.
Fukuta, Y. *See* Fukuda, Y.
Fukuyama, R. *See* Fujita, T.
Furuichi, A., Makimoto, N., Ogishima, M., Nakao, K., Tsukamoto, M., Kanematsu, T. and Taniyama, K.
In vivo detecting intestinal ACh release 73
Furukawa, M. *See* Miyata, M.
Furukawa, T. *See* Tokunaga, R.
Furuta, H. *See* Aoki Sogawa, C.

Gaja, N. *See* Yamada, A.
Galea, E. *See* Pelligrino, D.A.
Gonzalez, F.J. *See* Miyata, M.

Hallam, D.M. *See* Ramkumar, V.
Hamada, K., Yamazaki, J. and Nagao, T.
Effect of diltiazem in ischemic hearts 251
Harder, D. *See* Medhora, M.
Hashimoto, Kazunori *See* Satoh, K.
Hashimoto, Keitaro *See* Homma, N.
— *See* Miyamoto, S.
Hata, F. *See* Takeuchi, T.
Hayakawa, T. *See* Satoh, K.
Hayashi, H., Ohno, T., Nishiyama, K., Boku, K., Katori, M. and Majima, M.
Ethanol lesion and gastric CGRP 351
Higaki, K., Ninomiya, H., Saji, M., Maki, H., Koike, T. and Ohno, Kousaku
Suppression of NO by Neurotropin 329
Higashino, R. *See* Fukuda, Y.
Hirai, T. *See* Fujita, T.
Homma, N., Tsujimoto, G. and Hashimoto, Keitaro
Bidisomide blocks rat cardiac sodium current 23
Honda, M. *See* Okada, H.
Hori, M. *See* Nakazawa, H.
Horie, S. *See* Pang, S.

Ichikawa, T. *See* Ohtsuka, E.
Iino, A. *See* Shimizu, K.
Ikawati, Z., Nose, M. and Maeyama, K.
Roles of mast cells in rat trachea 38
Ikeda, K. *See* Kobayashi, S.
Ikemura, T. *See* Kaise, T.
Imai, A. *See* Mizutani, N.
Imai, K., Kudo, N., Koyama, M., Shirahata, A. and Kawashima, Y.
Oleic acid formation by DHEA 437
Imaizumi, Y. *See* Ohi, Y.
— *See* Yamada, A.
Inagaki, N. *See* Takizawa, T.
Inagaki, N. and Nagai, H.
Drugs for allergic diseases 275
Inagaki, O. *See* Tokioka-Akagi, T.
Inaizumi, K. *See* Yamaga, N.
Inoue, A. and Nakata, Y.
Partial agonist to tune up dopaminergics 376
Inoue, T. *See* Aoki Sogawa, C.
Isayama, S., Sugimoto, Y., Nishiga, M. and Kamei, C.
8-OH-DPAT-induced working memory deficits 451
Ishige, A. *See* Satoh, K.
Ishiguro, S., Nakamura, Y., Kawase, J., Miyamoto, A. and Nishio, A.
ET-1 antagonists affect BK response 262

Ishii, A. *See* Kaise, T.
Ishii, Y. *See* Cheng, G.
Itoh, H. *See* Yoshio, R.
Izumo, N. *See* Fujita, T.

Jin, D. *See* Takai, S.
Jin, D., Takai, S., Yamada, M., Sakaguchi, Masato, Yao, Y. and Miyazaki, M.
Cardiac chymase and myocardial infarction 203
Jin, G.-B. *See* Song, Q.-H.

Kaibara, M., Nagase, Y., Murasaki, O., Uezono, Y., Doi, Yoshiyuki and Taniyama, K.
Cl^- currents by Gq overexpression 244
Kaise, T., Akamatsu, Y., Ikemura, T., Ohmori, K., Ishii, A. and Karasawa, A.
Neuropeptides and nasal obstruction 196
Kaise, T., Akamatsu, Y., Ohmori, K., Ishii, A. and Karasawa, A.
Olopatadine inhibits tachykinin release 258
Kamei, C. *See* Isayama, S.
Kamei, J., Ohsawa, M., Tsuji, M., Takeda, H. and Matsumiya, T.
Exploratory behaviors of diabetic mice 47
Kamei, J., Sasaki, M., Zushida, K., Morita, K. and Tanaka, S.
Fenvalerate-induced nociceptive response 336
Kamimura, K. *See* Ohtsuka, E.
Kamiya, H. *See* Saeki, M.
Kamo, I. and Doi, T.
Effects of TAK-637 on micturition in cats 165
Kaneko, M. *See* Satoh, K.
Kanematsu, T. *See* Furuichi, A.
Kang, T. *See* La, J.
Kanke, T. *See* Takizawa, T.
Karaki, H. *See* Nakazawa, H.
Karasawa, A. *See* Kaise, T.
Katori, M. *See* Hayashi, H.
Kawai, S. *See* Ohtsuka, E.
Kawasaki, H. *See* Yamaga, N.
Kawase, J. *See* Ishiguro, S.
Kawashima, Y. *See* Imai, K.
Kawashimo, A. *See* Yoshimatsu, A.
Kim, T. *See* La, J.
Kinjyo, S. *See* Cheng, G.
Kirimura, K. *See* Takai, S.
Kitagawa, K. *See* Ohtsuka, E.
Kobayashi, S., Ikeda, K., Suzuki, M., Yamada, Toshimitsu and Miyata, K.
Effects of YM905 on bowel dysfunction 281
Kohno, S. *See* Mizutani, N.
Koida, M. *See* Fujita, T.
Koike, T. *See* Higaki, K.
Kojima, K. *See* Fujinami, K.
König, N., Poluch, S., Estabel, J., Durand, M., Drian, M.-J. and Exbrayat, J.-M.
AMPA receptors permeable to calcium 1
Koyama, M. *See* Imai, K.
Kubota, H. *See* Saeki, M.
Kudo, N. *See* Imai, K.
Kuraishi, Y. *See* Ohtsuka, E.
Kurimoto, T. *See* Fukuda, Y.
Kurosaki, Y. *See* Yamaga, N.
Kurosawa, S. *See* Satoh, K.
Kushiku, K. *See* Tokunaga, R.
Kusunoki, J. *See* Fujinami, K.

La, J., Kim, T., Sung, T., Kang, T., Lee, J. and Yang, I.
NO and VIP in porcine RPM relaxation 236
Lee, H.S. *See* Zhu, Y.Z.
Lee, J. *See* La, J.
Lu, Q. *See* Zhu, Y.Z.

Maeyama, K. *See* Ikawati, Z.
Maier, K.G. *See* Medhora, M.
Majima, M. *See* Hayashi, H.
Maki, H. *See* Higaki, K.
Makimoto, N. *See* Furuichi, A.
Marangoz, C. and Bağirici, F.
Effect of NO on epilepsy 297
Matsubayashi, H., Amano, T., Amano, H. and Sasa, M.
Nicotinic excitation of striatal neuron 429
Matsumiya, T. *See* Kamei, J.
Matsumoto, J. *See* Takizawa, T.
Matsumura, E. *See* Sakaguchi, Minoru
Matsushiro, S. *See* Azuma, Y.
Medhora, M., Narayanan, J., Harder, D. and Maier, K.G.
Identifying EDHF 369
Meguro, T. *See* Fujita, T.
Minami, K., Segawa, K., Uezono, Y., Shiga, Y., Shiraishi, M., Ogata, J. and Shigematsu, A.
Adrenomedullin inhibits renal blood flow by NE or AII 159
Minami, M. *See* Fukui, M.
Miyamoto, A. *See* Ishiguro, S.
Miyamoto, S., Zhu, B.-M., Aye, N.N. and Hashimoto, Keitaro
Proarrhythmic effects of sea anemone toxins 114
Miyata, K. *See* Kobayashi, S.
Miyata, M., Furukawa, M., Takahashi, K., Gonzalez, F.J. and Yamazoe, Y.
Role of mEH in DMBA immunotoxicity 302
Miyazaki, M. *See* Jin, D.
— *See* Takai, S.
Mizutani, N., Nabe, T., Imai, A., Sakurai, H., Takenaka, H. and Kohno, S.
Nasal hyperresponsiveness to LTD_4 170
Morimoto, H. *See* Takeuchi, T.
Morita, K. *See* Kamei, J.
Muraki, K. *See* Ohi, Y.
— *See* Yamada, A.
Muramatsu, I. *See* Yoshio, R.
Murasaki, O. *See* Kaibara, M.
Murata, T. *See* Nakazawa, H.
Murayama, T. *See* Pang, S.

Nabe, T. *See* Mizutani, N.
Nagai, H. *See* Inagaki, N.
— *See* Takizawa, T.
Nagao, M. *See* Takizawa, T.
Nagao, T. *See* Hamada, K.
Nagase, Y. *See* Kaibara, M.
Nakagawa, T. *See* Fukui, M.
Nakajima, H. *See* Cheng, G.
Nakajyo, S. *See* Shimizu, K.
Nakamura, A. *See* Yamaga, N.
Nakamura, T. *See* Satoh, K.
Nakamura, Y. *See* Ishiguro, S.
Nakamuta, H. *See* Fujita, T.
Nakao, K. *See* Furuichi, A.
Nakata, Y. *See* Inoue, A.
Nakazawa, H., Hori, M., Murata, T., Ozaki, H. and Karaki, H.
Cl^- channels in pulmonary hypertension 310
Narayanan, J. *See* Medhora, M.
Narita, H. *See* Tanaka, K.
— *See* Yamada, A.
Nie, Z. *See* Ramkumar, V.

Ninomiya, H. *See* Higaki, K.
Nishiga, M. *See* Isayama, S.
Nishio, A. *See* Ishiguro, S.
Nishiyama, K. *See* Hayashi, H.
Nobuhara, Y. *See* Azuma, Y.
Nojima, H. *See* Ohtsuka, E.
Nose, M. *See* Ikawati, Z.

Oda, N. *See* Aoki Sogawa, C.
Ogata, J. *See* Minami, K.
Ogihara, S. *See* Satoh, K.
Ogishima, M. *See* Fukuda, Y.
— *See* Furuichi, A.
Ohi, Y., Takai, N., Muraki, K., Watanabe, M. and Imaizumi, Y.
Ca^{2+}-images of femoral artery segments 106
Ohmori, K. *See* Kaise, T.
Ohno, Katsutoshi *See* Azuma, Y.
Ohno, Kousaku *See* Higaki, K.
Ohno, T. *See* Hayashi, H.
Ohsawa, M. *See* Kamei, J.
Ohtsuka, E., Kawai, S., Ichikawa, T., Nojima, H., Kitagawa, K., Shirai, Y., Kamimura, K. and Kuraishi, Y.
Allergic itch response to mosquito bites 97
Ohwada, T. *See* Yamada, A.
Ohya, S. *See* Yamada, A.
Okada, H., Honda, M. and Ono, H.
Spinal reflex potentials in mice 134
Ono, H. *See* Okada, H.
Onodera, K. *See* Aoki Sogawa, C.
Ozaki, H. *See* Nakazawa, H.
Ozeki, M. *See* Shimizu, K.

Pang, S., Tsuchiya, S., Horie, S., Uchida, M., Murayama, T. and Watanabe, K.
Vasoconstrictive effect in *Leonuri herba* 215
Pelligrino, D.A. and Galea, E.
Estrogen and the cerebral circulation 137
Pepeu, G. *See* Prosperi, C.
Poluch, S. *See* König, N.
Prosperi, C., Scali, C., Pepeu, G. and Casamenti, F.
NO-flurbiprofen on brain inflammation 230

Ramkumar, V., Hallam, D.M. and Nie, Z.
Adenosine and cytoprotection 265
Roumy, M. *See* Takeuchi, T.

Saeki, M., Sakai, M., Saito, R., Kubota, H., Ariumi, H., Takano, Y., Yamatodani, A. and Kamiya, H.
A new evaluation of delayed emesis 359
Saito, R. *See* Saeki, M.
Saji, M. *See* Higaki, K.
Sakaguchi, Masato *See* Jin, D.
— *See* Takai, S.
Sakaguchi, Minoru, Fujimori, T., Satoh, T. and Matsumura, E.
Neurotrophic effects of β-casomorphins 363
Sakai, M. *See* Saeki, M.
Sakurai, H. *See* Mizutani, N.
Sasa, M. *See* Matsubayashi, H.
Sasaki, M. *See* Kamei, J.
Sasaki, T. *See* Watanabe, T.
Satoh, K., Hashimoto, Kazunori, Hayakawa, T., Ishige, A., Kaneko, M., Ogihara, S., Kurosawa, S., Yakabi, K. and Nakamura, T.
Mechanism of ileal contraction by *Dai-kenchu-to* 32
Satoh, M. *See* Fukui, M.
Satoh, T. *See* Sakaguchi, Minoru
Scali, C. *See* Prosperi, C.
Segawa, K. *See* Minami, K.
Shibasaki, M. *See* Tokioka-Akagi, T.
Shiga, Y. *See* Minami, K.
Shigematsu, A. *See* Minami, K.
Shimazoe, T. *See* Yoshimatsu, A.
Shimizu, K., Ozeki, M., Iino, A., Nakajyo, S., Urakawa, N. and Atsuchi, M.
Gymnema triterpenoids on glucose absorption 223
Shimizu, M. *See* Yamaga, N.
Shirahata, A. *See* Imai, K.
Shirai, Y. *See* Ohtsuka, E.
Shiraishi, M. *See* Minami, K.
Shuto, T. *See* Yoshimatsu, A.
Sogawa, N. *See* Aoki Sogawa, C.
Song, Q.-H., Toriizuka, K., Jin, G.-B., Yabe, T. and Cyong, J.-C.
Toki-shakuyaku-san on dopamine and NGF 183
Sugimoto, K. *See* Takeuchi, T.
Sugimoto, Y. *See* Isayama, S.
Sung, T. *See* La, J.
Sutoo, D. and Akiyama, K.
Brain Ca and Mg in blood pressure 366
Suzuki, M. *See* Kobayashi, S.
Suzuki, T. *See* Tanaka, K.
Suzumura, K. *See* Tanaka, K.

Takahashi, K. *See* Miyata, M.
Takai, N. *See* Ohi, Y.
Takai, S. *See* Jin, D.
Takai, S., Jin, D., Sakaguchi, Masato, Kirimura, K. and Miyazaki, M.
Oral active chymase inhibitor 124
Takano, Y. *See* Saeki, M.
Takeda, H. *See* Kamei, J.
Takei, M. *See* Fukuda, Y.
Takenaka, H. *See* Mizutani, N.
Takeuchi, T., Sugimoto, K., Morimoto, H., Fujita, A. and Hata, F.
NO-induced relaxation in colon 390
Takeuchi, T., Fujita, A., Roumy, M., Zajac, J.-M. and Hata, F.
Regulation of ACh release by 1DMe 417
Takizawa, T., Matsumoto, J., Tohma, T., Kanke, T., Wada, Y., Nagao, M., Inagaki, N., Nagai, H., Zhang, M.-Q. and Timmerman, H.
A novel H_1 antagonist, VUF-K-8788 55
Tanaka, K., Yasuhara, M., Suzumura, K., Narita, H. and Suzuki, T.
Fluvastatin inhibits foam cell formation 289
Tanaka, S. *See* Kamei, J.
Taniguchi, T. *See* Yoshio, R.
Taniyama, K. *See* Furuichi, A.
— *See* Kaibara, M.
Timmerman, H. *See* Takizawa, T.
Tohma, T. *See* Takizawa, T.
Tokioka-Akagi, T., Fujimori, A., Shibasaki, M., Inagaki, O. and Yanagisawa, I.
Angiotensin II type 1-receptor antagonist YM358 79
Tokunaga, R., Kushiku, K, Yamada, K., Yamada, H. and Furukawa, T.
Ang II signal transduction in ganglia 381
Tokuyama, S. *See* Watanabe, T.
Toriizuka, K. *See* Song, Q.-H.
Tsuboi, M. *See* Chiba, S.
Tsuchiya, S. *See* Pang, S.
Tsuji, M. *See* Kamei, J.
Tsujimoto, G. *See* Homma, N.
Tsukamoto, M. *See* Furuichi, A.

Uchida, M. *See* Pang, S.
Ueda, T. *See* Cheng, G.
Uezono, Y. *See* Kaibara, M.
— *See* Minami, K.
Unger, T. *See* Zhu, Y.Z.
Urakawa, N. *See* Shimizu, K.

Wada, Y. *See* Takizawa, T.
Wang, Z.J. *See* Zhu, Y.Z.
Watanabe, K. *See* Pang, S.
Watanabe, M. *See* Ohi, Y.
Watanabe, S. *See* Yoshimatsu, A.
Watanabe, T., Tokuyama, S., Yasuda, M., Sasaki, T. and Yamamoto, Toshinori
Tissue factor activity and adhesion 399

Yabe, T. *See* Song, Q.-H.
Yakabi, K. *See* Satoh, K.
Yamada, A., Gaja, N., Ohya, S., Muraki, K., Narita, H., Ohwada, T. and Imaizumi, Y.
Voltage-sensitive dye and BK channel 342
Yamada, H. *See* Tokunaga, R.
Yamada, K. *See* Tokunaga, R.
Yamada, M. *See* Jin, D.
Yamada, Toshihiro *See* Azuma, Y.
Yamada, Toshimitsu *See* Kobayashi, S.
Yamaga, N., Kawasaki, H., Inaizumi, K., Shimizu, M., Nakamura, A. and Kurosaki, Y.
CGRP mRNA in SHR 448
Yamamoto, Toshinori *See* Watanabe, T.
Yamamoto, Toshio *See* Aoki Sogawa, C.
Yamatodani, A. *See* Saeki, M.
Yamazaki, J. *See* Hamada, K.
Yamazoe, Y. *See* Miyata, M.
Yanagisawa, I. *See* Tokioka-Akagi, T.
Yang, I. *See* La, J.
Yao, Y. *See* Jin, D.
Yasuda, M. *See* Watanabe, T.
Yasuhara, M. *See* Tanaka, K.
Yasutomi, C. *See* Fujita, T.
Yonehara, N. *See* Asahi, Y.
Yoshida, K. *See* Fukuda, Y.
Yoshimatsu, A., Shimazoe, T., Kawashimo, A., Shuto, T., Doi, Yukiko, Fukumoto, T. and Watanabe, S.
Adenosine and sensitization 254
Yoshio, R., Taniguchi, T., Itoh, H. and Muramatsu, I.
5-HT receptor drugs on α_1-adrenoceptors 189

Zajac, J.-M. *See* Takeuchi, T.
Zhang, M.-Q. *See* Takizawa, T.
Zhu, B.-M. *See* Miyamoto, S.
Zhu, Y.-C. *See* Zhu, Y.Z.
Zhu, Y.Z., Zhu, Y.-C., Wang, Z.J., Lu, Q., Lee, H.S. and Unger, T.
Apoptosis after myocardial infarction 355
Zushida, K. *See* Kamei, J.

SUBJECT INDEX

Volume 86 • 2001

Acetylcholine release 73, 417
Action potential duration 251
Acyl-CoA:cholesterol acyltransferase 127
Acyl-CoA:cholesterol acyltransferase inhibitor 120
Adenosine 254, 265
Adenosine receptor 265
Adhesion molecule 399
Adrenergic 114
α_1-Adrenoceptor 189
β_2-Adrenoceptor 423
β_2-Adrenoceptor agonist 275
Adrenomedullin 159
Adult neurogenesis 1
Allergic itch, immediate 97
Allergic rhinitis 170
Allodynia 336
Alzheimer's disease 230
Amiloride-sensitive Na^+ channel 381
Amygdala 18
Analgesia (Antinociception) 316, 423
Angiotensin 203
Angiotensin II 159, 381
Angiotensin II type 1-receptor antagonist 79
Angiotensin-converting enzyme 203
Angiotensin-converting enzyme inhibitor 79
Antiallergic agent 55, 275
Antihistamine 55, 275
Antinociception (Analgesia) 316, 423
Antioxidant 289
Antipsychotic 376
Anxiety 47
Aorta, rat 215
Aortocaval shunt 79
Apoptosis 130, 355
L-Arginine 297
Atherosclerosis 120
Atrium, dog 248
Atropine 73

Benign prostatic hyperplasia 323
Benzodiazepine 47
Bidisomide 23
Bisphosphonate 86
Bladder capacity 165
Blood flow, renal 159
Blood glucose 223
Blood pressure 366
Boar 236
Bradykinin 262
Brain 137
Bronchodilator 275

Ca^{2+}-imaging 106
Cadmium 65
Calcitonin gene-related peptide 196, 351
Calcitonin gene-related peptide mRNA 448
Calcium/calmodulin-dependent dopamine synthesis 366
Calcium/calmodulin-dependent protein kinase 381
Capsaicin 351
Cardiac hypertrophy 79
Cardiac myocyte 23
β-Casomorphin 363
Caveolin 137
Cell death 1
Chick dorsal root ganglion neuron 363
Cholesteryl ester 289
Chronotropism 248
Chymase 124, 203
Cisplatin-induced pica 359
Cl^- channel 310
Cobalt 1
Confocal microscope 106
Core binding factor α1 (Cbfa1) 86, 405
Cytoprotection 265

Dai-kenchu-to 32
Defecation 281
Dehydroepiandrosterone 437
Delayed emesis 359
Dental pulp 65
Desipramine 316
Diabetes 47
$DiBAC_4(3)$ (bis-(1,3-dibutylbarbituric acid)-trimethine oxonol) 342
Dihydrotestosterone 323
Diltiazem 251
7,12-Dimethylbenz[*a*]anthracene 302
Domperidone 429
Dopamine 183, 254
Dopamine receptor 376
Dopamine synthesis, calcium/calmodulin-dependent 366
Dorsal root ganglion neuron, chick 363

ECG 114
Emesis, delayed 359
Emotion 18
Endothelial cell 329, 399
Endothelin 262
Endothelium 106, 215, 369
Endothelium-dependent relaxation 262
Endothelium-derived hyperpolarizing factor 369
Eosinophil 130
Epileptiform activity 297
Epoxyeicosatrienoic acid 369
Estrogen receptor 137
Evans blue 342
Exploratory behavior 47
Extracellular signal-regulated kinase 86

Femoral artery, rat 106
Fenvalerate 336
Field potential 316
Fluorescence assay 369

GABA 316
Gastric lesion 351
Gene expression 355
Gimnema inodorum 223
Glucocorticoid 275
Glucose absorption 223
L-Glutamic acid diethyl ester hydrochloride 429
Gq 244
GTPγS 244

Heart failure 79
Hippocampus 18, 316
Histamine 97
Histidine 451
HMG-CoA reductase 289
Hole-board test 47
8-Hydroxy-2-(di-*n*-propylamino) tetralin 451
Hydroxy β-sanshool 32
5-Hydroxytryptamine 38
5-Hydroxytryptamine receptor agonist 189
5-Hydroxytryptamine receptor antagonist 189
Hyperalgesia 336
Hyperlipidemia, postprandial 127
Hyperresponsiveness 170
Hypertension, pulmonary 310
Hypotension 329

Immediate allergic itch 97
Immunotoxicity 302
In vivo microdialysis 73
Inducible nitric oxide synthase 329
Inflammation 137
Inflammatory mediator 230
Intestinal motility 32
Intracardiac nerve stimulation 248
Intracellular Ca^{2+} concentration 390
Intracerebroventricular 423
Intrinsic efficacy 376
Irritable bowel syndrome 281
Ischemic heart 251
Itch 55
Itch-associated response 97

K^+ channel, large conductance Ca^{2+}-activated 342
Kampo medicine 183

Large conductance Ca^{2+}-activated K^+ channel 342
Leonuri herba 215
Leukocyte, polymorphonuclear 399
Leukocyte adhesion 137

Leukotriene D_4 170
Lipopolysaccharide 329
Liver 437
Long QT syndrome 114
Long-term potentiation 18
Low-density lipoprotein 289

Macrophage 289
Magnesium 366
Mast cell 97
Mast cell heterogeneity 38
Memory 18
Mesenteric arterial calcitonin gene-related peptide content 448
Metallothionein 65
α,β-Methylene-ATP 423
Microsomal epoxide hydrolase 302
Microdialysis, in vivo 73
Migration 1
Monocrotaline 310
Monosynaptic reflex 134
Morphine 417
Mosquito bite 97
Muscarinic autoinhibition 417
Muscarinic M_3 receptor 281
Myenteric plexus 417
Myocardial infarction 203, 355

Na^+ channel 114
Na^+ channel, amiloride-sensitive 381
Na^+ channel, tetrodotoxin-resistant 336
Na^+ current 23
Nasal blockage 170
Nasal obstruction 196
Nerve growth factor 183
Neurogenesis, adult 1
Neurokinin A 196
Neuronal survival 363
Neuropeptide FF 417
Neurotropin 329
Nicotinic excitation 429
Nitric oxide 137, 170, 215, 236, 297
Nitric oxide-induced relaxation 390
Nitric oxide-releasing nonsteroidal anti-inflammatory drug 230
Nitric oxide synthase, inducible 329
7-Nitroindazole 297
Nociception 336
Nonsteroidal anti-inflammatory drug, nitric oxide-releasing 230
NOR 1 ((±)-(*E*)-methyl-2-[(*E*)-hydroxyimino]-5-nitro-6-methoxy-3-hexaneamide) 390
Norepinephrine 73, 159
NS-1619 (1-(2'-hydroxy-5'-trifluoromethylphenyl)-5-trifluoromethyl-2-benzimidazolone) 342
NTE-122 (*trans*-1,4-bis[[1-cyclohexyl-3-(4-dimethylaminophenyl)ureido]methyl]cyclohexane) 120
Nuclear factor kappa B 265
Nucleus basalis 230
Null-mouse 302

Odontoblast 65
Oleic acid 437
Olfactory bulb 183
Olopatadine 258
Oocyte 244
μ-Opioid receptor 423
Oral administration 124
Osteoblast 405
Osteogenesis 405
Ovalbumin 38
Oxidative stress 265
Oxidized low-density lipoprotein 289

Palmitoyl-coenzyme A chain elongation 437
Paracrine action 1
Parathyroid hormone 405
Partial agonist 376
Patch clamp study 429
Penicillin 297
Pica, cisplatin-induced 359
Polymorphonuclear leukocyte 399
Postprandial hyperlipidemia 127
Protein kinase, calcium/calmodulin-dependent 381
Protein kinase C 381
Proximal colon, rat 390
Pulmonary hypertension 310
Pulp cell 65

Radial maze performance 451
Ras 86
Renal blood flow 159
Restraint stress 281
Retractor penis muscle 236
Runx2/Cbfa 1 86

Sarcoplasmic reticulum 390
Schizophrenia 376
Sensitization 254
Serotonin 38
Serotonin receptor agonist 189
Serotonin receptor antagonist 189
Smooth muscle 310
Sneezing response 258
Sodium channel 114
Sodium channel, amiloride-sensitive 381
Sodium channel, tetrodotoxin-resistant 336
Sodium current 23
Sodium nitroprusside 297
Spinal reflex 134
Spleen 302
Spontaneously hypertensive rat 366, 448
Statin 86
Stearoyl-coenzyme A desaturation 437
Steroid 5α-reductase 323
Striatal neuron 429
Substance P 196
Sympathetic ganglion 381

Tachykinin 32
Tachykinin NK_1-receptor antagonist 165, 359
Tachykinin release 258
Tacrolimus 275
TAK-637 ((*aR*,9*R*)-7-[3,5-bis(trifluoromethyl)benzyl]-8,9,10,11-tetrahydro-9-methyl-5-(4-methyl phenyl)-7*H*[1,4]diazocino[2,1*g*][1,7]naphthyridine-6,13-dione) 165
Testosterone 323
Tetrodotoxin 73
Tetrodotoxin-resistant sodium channel 336
Theophylline 275
Tissue factor 399
Toki-shakuyaku-san 183
Tracheal contraction 38
Tranilast 130
Transactivation 405
Triterpenoid 223

Vascular tone 369
Vasoactive intestinal peptide 236
Vasoconstriction 215, 310
Ventricular arrhythmia 114
Voiding efficiency 165
Voltage-sensitive dye 342
VUF-K-8788 (7-{3-[4-(2-quinolinylmethyl)-1-piperazinyl]-propoxy}-2,3-dihydro-4*H*-1,4-benzothiazin-3-one) 55

Ws/Ws rat 38

YM905 ((+)-(1*S*,3'*R*)-quinuclidin-3'-yl 1-phenyl-1,2,3,4-tetrahydroisoquinoline-2-carboxylate monosuccinate) 281

Z-350 ((*S*)-4-[3-(4-{1-(4-methylphenyl)-3-[4-(2-methoxyphenyl)piperazine-1-yl]propoxy}benzoyl)indole-1-yl]butyric acid hydrochloride) 323
Zanthoxylum fruit 32
Zucker diabetic fatty rat 127